L	Hits	Search Text	DB	Tim stamp
Numb r	0007	050/000 1- 050/005 1- 050/475 1-		0000/05/04
1	2027	250/238.ccls. 250/235.ccls. 358/475.ccls.	USPAT;	2003/05/21
		358/480.ccls. 362/2.ccls. 362/6.ccls.	EPO; JPO;	15:36
_	40450	362/16.ccls. 362/18.ccls.	DERWENT	0000/07/04
6	10150	cold n ar5 cath d	USPAT;	2003/05/21
			EPO; JPO;	15:37
	00070		DERWENT	
11	23073	impedance near5 (detect\$5 or sens\$5 or	USPAT;	2003/05/21
		monitor\$5)	EPO; JPO;	16:10
40			DERWENT	
16	33	(cold near5 cathode) and (impedance near5	USPAT;	2003/05/21
		(detect\$5 or sens\$5 or monitor\$5))	EPO; JPO;	17:14
			DERWENT	
21	129	((control\$5 or adjust\$5) near5 ((illuminat\$6	USPAT;	2003/05/21
		or light) near3 (amount or intensit\$4 or	EPO; JPO;	17:12
	_	level))) near15 impedance	DERWENT	
26	1	(cold near5 cathode) and (((control\$5 or	USPAT;	2003/05/21
		adjust\$5) near5 ((illuminat\$6 or light) near3	EPO; JPO;	15:44
		(amount or intensit\$4 or level))) near15	DERWENT	
		impedance)		
31	285	((control\$5 or adjust\$5) near5 ((illuminat\$6	USPAT;	2003/05/21
		or light) near3 (amount or intensit\$4 or	EPO; JPO;	15:53
		level))) same impedance	DERWENT	
36	0	(impedance near5 (detect\$5 or sens\$5 or	USPAT;	2003/05/21
		monitor\$5)) and ((cold near5 cathode) and	EPO; JPO;	15:53
		(((control\$5 or adjust\$5) near5 ((illuminat\$6	DERWENT	
		or light) near3 (amount or intensit\$4 or		1
		level))) near15 impedance))	_	
41	66	(impedance near5 (detect\$5 or sens\$5 or	USPAT;	2003/05/21
		monitor\$5)) and (((control\$5 or adjust\$5)	EPO; JPO;	15:53
		near5 ((illuminat\$6 or light) near3 (amount	DERWENT	
		or intensit\$4 or level))) same impedance)		
46	30	(impedance near5 (detect\$5 or sens\$5 or	USPAT;	2003/05/21
		monitor\$5)) and (((control\$5 or adjust\$5)	EPO; JPO;	15:53
		near5 ((illuminat\$6 or light) near3 (amount	DERWENT	
	_	or intensit\$4 or level))) near15 impedance)		
56	0	(cold near5 cathode) and ((impedance near5	USPAT;	2003/05/21
		(detect\$5 or sens\$5 or monitor\$5)) and	EPO; JPO;	15:53
		(((control\$5 or adjust\$5) near5 ((illuminat\$6	DERWENT	
		or light) near3 (amount or intensit\$4 or		
	_	level))) near15 impedance))		
51	1	(cold near5 cathode) and ((impedance near5	USPAT;	2003/05/21
		(detect\$5 or sens\$5 or monitor\$5)) and	EPO; JPO;	15:53
		(((control\$5 or adjust\$5) near5 ((illuminat\$6	DERWENT	
		or light) near3 (amount or intensit\$4 or		
		level))) same impedance))		
61	1072	((control\$5 or adjust\$5) near5 ((illuminat\$6	USPAT;	2003/05/21
		r light) n ar3 (am unt or int nsit\$4 r	EPO; JPO;	16:18
_	_	lev I))) near15 (temp_rature)	DERWENT	
66	331920	temperature n ar5 (detect\$5 or sens\$5 r	USPAT;	2003/05/21
		m nitor\$5)	EPO; JPO;	16:14
			DERWENT	

71	555	(((control\$5 or adjust\$5) near5 ((illuminat\$6	USPAT;	2003/05/21
• •		or light) near3 (am unt or intensit\$4 or	EPO; JPO;	16:14
		I vel))) near15 (temperature)) and	DERWENT	10114
		(t mp rature near5 (det ct\$5 r sens\$5 r		
		m nit r\$5))		
76	5	(250/238.ccls. 250/235.ccls. 358/475.ccls.	USPAT;	2003/05/21
		358/480.ccls. 362/2.ccls. 362/6.ccls.	EPO; JPO;	16:15
		362/16.ccls. 362/18.ccls.) and ((((control\$5	DERWENT	
		or adjust\$5) near5 ((illuminat\$6 or light)		
		near3 (amount or intensit\$4 or level)))		
		near15 (temperature)) and (temperature		
		near5 (detect\$5 or sens\$5 or monitor\$5)))		
81	4	(cold near5 cathode) and ((((control\$5 or	USPAT;	2003/05/21
		adjust\$5) near5 ((illuminat\$6 or light) near3	EPO; JPO;	16:15
		(amount or intensit\$4 or level))) near15	DERWENT	
		(temperature)) and (temperature near5		
		(detect\$5 or sens\$5 or monitor\$5)))		
86	8221	((control\$5 or adjust\$5) near5 (illuminat\$6	USPAT;	2003/05/21
		or light)) near15 (temperature)	EPO; JPO;	17:01
			DERWENT	
91	72	(cold near5 cathode) and (((control\$5 or	USPAT;	2003/05/21
		adjust\$5) near5 (illuminat\$6 or light)) near15	EPO; JPO;	16:21
••	40	(temperature))	DERWENT	2000/05/04
96	40	(temperature near5 (detect\$5 or sens\$5 or	USPAT;	2003/05/21
		monitor\$5)) and ((cold near5 cathode) and	EPO; JPO;	16:21
		(((control\$5 or adjust\$5) near5 (illuminat\$6	DERWENT	
101	3	or light)) near15 (temperature))) ("5198909" "5907742" "6069448").PN.	USPAT	2003/05/21
101	3	(3190909 3907742 0009440 J.FN.	USPAT	16:46
116	505	((control\$5 or adjust\$5) near5 (illuminat\$6	USPAT;	2003/05/21
		or light)) near15 (impedance)	EPO; JPO;	17:05
			DERWENT	
121	4	(cold near5 cathode) and (((control\$5 or	USPAT;	2003/05/21
		adjust\$5) near5 (illuminat\$6 or light)) near15	EPO; JPO;	17:03
		(impedance))	DERWENT	
126	0	(impedance near5 (detect\$5 or sens\$5 or	USPAT;	2003/05/21
		monitor\$5)) and ((cold near5 cathode) and	EPO; JPO;	17:04
		(((control\$5 or adjust\$5) near5 (illuminat\$6	DERWENT	
		or light)) near15 (impedance)))		
131	114	(impedance near5 (detect\$5 or sens\$5 or	USPAT;	2003/05/21
		monitor\$5)) and (((control\$5 or adjust\$5)	EPO; JPO;	17:04
		near5 (illuminat\$6 or light)) near15	DERWENT	
		(impedance))		
136	308	(cold near5 cathode) and "141"	USPAT;	2003/05/21
			EPO; JPO;	17:04
			DERWENT	0000107107
141	1257	((control\$5 or adjust\$5) near5 (illuminat\$6	USPAT;	2003/05/21
		or light)) same (impedance)	EPO; JPO;	17:07
446	007	(immedance near (data-têt near têt	DERWENT	2002/05/04
146	237	(impedance near5 (detect\$5 rs ns\$5 r	USPAT;	2003/05/21
1		monitor\$5)) and (((c ntrol\$5 r adjust\$5)	EPO; JPO;	17:07
		near5 (illuminat\$6 r light)) sam	DERWENT	

151	2	(cold near5 cath de) and ((impedanc near5	USPAT;	2003/05/21
		(d tect\$5 rs ns\$5 rmonit r\$5)) and	EPO; JPO;	17:07
		(((c ntrol\$5 or adjust\$5) near5 (illuminat\$6 r light)) same (impedance)))	DERWENT	
156	32682	((c ntrol\$5 r adjust\$5) n ar5 ((illuminat\$6	USPAT;	2003/05/21
		r light) near3 (amount r intensit\$4 or	EPO; JPO;	17:13
		level)))	DERWENT	
161	5	((cold near5 cathode) and (impedance near5	USPAT;	2003/05/21
		(detect\$5 or sens\$5 or monitor\$5))) and	EPO; JPO;	17:15
		(((control\$5 or adjust\$5) near5 ((illuminat\$6	DERWENT	
		or light) near3 (amount or intensit\$4 or		
		level))))		

L Numb r	Hits	Search T xt	DB	Time stamp
4	318	((c ntr I\$5 or adjust\$5) near5 ((illuminat\$6 or light) n ar3 (am unt or int nsit\$4 or I v I))) near10 (temp ratur near5 (d tect\$5 or sens\$5 or m asur\$7 or signal or inf rm\$7 or data))	USPAT; EPO; JPO; DERWENT	2003/05/21 09:04
9	2027	250/238.ccls. 250/235.ccls. 358/475.ccls. 358/480.ccls. 362/2.ccls. 362/6.ccls. 362/16.ccls. 362/18.ccls.	USPAT; EPO; JPO; DERWENT	2003/05/21 08:59
14	3	(250/238.ccls. 250/235.ccls. 358/475.ccls. 358/480.ccls. 362/2.ccls. 362/6.ccls. 362/16.ccls. 362/16.ccls. 362/18.ccls.) and (((control\$5 or adjust\$5) near5 ((illuminat\$6 or light) near3 (amount or intensit\$4 or level))) near10 (temperature near5 (detect\$5 or sens\$5 or measur\$7 or signal or inform\$7 or data)))	USPAT; EPO; JPO; DERWENT	2003/05/21 09:02
19	10150	cold near5 cathode	USPAT; EPO; JPO; DERWENT	2003/05/21 09:03
24	1	(((control\$5 or adjust\$5) near5 ((illuminat\$6 or light) near3 (amount or intensit\$4 or level))) near10 (temperature near5 (detect\$5 or sens\$5 or measur\$7 or signal or inform\$7 or data))) and (cold near5 cathode)	USPAT; EPO; JPO; DERWENT	2003/05/21 09:03
29	343	((control\$5 or adjust\$5) near5 ((illuminat\$6 or light) near3 (amount or intensit\$4 or level))) near15 (temperature near5 (detect\$5 or sens\$5 or measur\$7 or signal or inform\$7 or data))	USPAT; EPO; JPO; DERWENT	2003/05/21 09:09
34	1	(cold near5 cathode) and (((control\$5 or adjust\$5) near5 ((illuminat\$6 or light) near3 (amount or intensit\$4 or level))) near15 (temperature near5 (detect\$5 or sens\$5 or measur\$7 or signal or inform\$7 or data)))	USPAT; EPO; JPO; DERWENT	2003/05/21 09:09
39	640	((control\$5 or adjust\$5) near5 ((illuminat\$6 or light) near3 (amount or intensit\$4 or level))) same (temperature near5 (detect\$5 or sens\$5 or measur\$7 or signal or inform\$7 or data))	USPAT; EPO; JPO; DERWENT	2003/05/21 09:15
44	1991	((control\$5 or adjust\$5) near5 ((illuminat\$6 or light) near3 (amount or intensit\$4 or level))) same (temperature)	USPAT; EPO; JPO; DERWENT	2003/05/21 09:17
49	7	(cold near5 cathode) and (((control\$5 or adjust\$5) near5 ((illuminat\$6 or light) near3 (amount or intensit\$4 or level))) same (temperature near5 (detect\$5 or sens\$5 or measur\$7 or signal or inform\$7 or data)))	USPAT; EPO; JPO; DERWENT	2003/05/21 09:17
54	32	(cold near5 cathode) and (((control\$5 or adjust\$5) n ar5 ((illuminat\$6 r light) near3 (am unt or intensit\$4 r lev l))) sam (temperature))	USPAT; EPO; JPO; DERWENT	2003/05/21 09:19